





Plain, mobile, uncomplicated

Features

- 2 High mobility: Battery operation, compact, lightweight construction, recessed grips on the underside and low weight make this balance ideal for use in several locations
- Particularly large weighing plate
- Very fast display: steady weight values within 2 s
- · Simple and convenient 2-key operation

Technical data

- Large backlit LCD display, digit height 21 mm
- Dimensions weighing surface W×D 320×260 mm
- Weighing plate material ■ ECE-N: plastic ECB-N: stainless steel, see larger picture
- Overall dimensions W×D×H 320×300×60 mm
- Optional battery operation, 6×1.5 V AA not included, operating time up to 100 h, AUTO-OFF function to preserve the battery
- · Net weight ECE-N: approx. 1,6 kg ECB-N: approx. 2,6 kg
- Permissible ambient temperature 5 °C/35 °C

Accessories

- · Rechargeable battery pack internal, operating time up to 30 h without backlight, charging time approx. 10 h, KERN PCB-A01
- · Rechargeable battery pack external, operating time up to 30 h without backlight, charging time approx. 10 h, KERN KS-A01
- Tare pan made of stainless steel, ideal for weighing loose small parts, fruit, vegetables etc., W×D×H 370×240×20 mm, KERN RFS-A02
- External universal mains adapter, with universal input and optional input socket adapters for EU, GB, USA, not included, KERN YKA-03
- Further details, plenty of further accessories and suitable printers see Accessories

STANDARD

















	M/ * 1 *	Б. 1	D 1 11111	1	
Model	Weighing range	Readout	Reproducibility	Linearity	Option
					DAkkS Calibr. Certificate
	[Max]	[d]			DKD
KERN	kg	g	g	g	KERN
ECE 10K-3N	10	5	5	± 20	963-128
ECE 20K-2N	20	10	10	± 40	963-128
ECE 50K-2N	50	20	20	± 80	963-128
ECB 10K-3N	10	5	5	± 20	963-128
ECB 20K-2N	20	10	10	± 40	963-128
ECB 50K-2N	50	20	20	± 80	963-128